

BOAT STANDS

Boat stands are used as **stabilizers**. Use blocking fore and aft to support all weight of the boat on the keel. For powerboats use a minimum of 2 pair of stands, plus an additional pair of **boat stands** for every 3 m of boat length over 6 m. The weight of the boat rests on its keel, supported by **keep stands**, **benches**. **Our stands** have been independently **tested** and have a **certified** safe working load of **3600 kg**.

All our boat stands are manufactured in two variants. With fine and rough regulation

Choose from hot dip galvanized or black painted.







MOTORBOAT STANDS



Туре	Height (cm)	Max load per stand (ton)
MKS4	46 - 64	3,6
MKS3	64 - 97	3,6
MKS2	74 - 117	3,6
MKS1	84 - 124	3,6
MKS0	104 - 147	3,6
MBS4	46 - 64	3,6
MBS3	64 - 97	3,6
MBS2	74 - 117	3,6
MBS1	84 - 124	3,6
MBS0	104 - 147	3,6

SAILBOAT STANDS



Туре	Height (cm)	Max load per stand (ton)
SKS4	61 - 91	3,6
SKS3	89 - 132	3,6
SKS2	122 - 165	3,6
SKS1	163 - 206	3,6
SKS0	201 - 244	3,6
SBS4	61 - 91	3,6
SBS3	89 - 132	3,6
SBS2	122 - 165	3,6
SBS1	163 - 206	3,6
SBS0	201 - 244	3,6





BOAT DOLLIES

B2400LB/B4000LB



The **B2400LB** / **B4000LB** boat dollies are the perfect option to store or display lighter boats. With easy to roll casters bolted in each corner this dolly makes moving boats into tight spaces effortless.

Model: Max Capacity: Dimension: Final protection: B2400LB / B4000LB 2400 / 4000 kg 150 cm / 300 cm hot dip galvanized / black painted





The **900NB** boat dolly is the perfect solution for small boats and jet ski if you are looking for more space in your showroom. Total holding capacity is 900 kg. Our removable pins make adjusting this dolly to fit your boat a simple process.

Model: Max Capacity: Dimension: Final protection: B900NB 900 kg 140 cm / 97 cm hot dip galvanized / black painted

B2400NB/B3200NB



The **24007NB / 3200NB** boat dolly is the perfect solution if you are looking for more space in your showroom. Total holding capacity of 2400/3200 kg per pair these dollies are able to support most boats in market. Our removable pins make adjusting this dolly to fit your boat a simple process.

Model: Max Capacity: Dimension: Final protection: B2400NB / B3200NB 2400 / 3200 kg 600 cm / 940 cm hot dip galvanized / black painted

B4000HB/B6000HB



The **B4000HB / B6000HB** boat dollies has a heavy duty steel design allowing it to not be damaged under a heavy load. Total holding capacity of 4000/6000 kg per pair these dollies make able to support most boats. Our removable pins make adjusting this dolly to fit your boat a simple process.

Model: Max Capacity: Dimension: Final protection: B4000HB / B6000HB 4000 / 6000 kg 810 cm / 910 cm hot dip galvanized / black painted





KEEL SUPPORT

Keel support are the simplest storage solution, for safely store boat for **service** or **washdown**. It is recommended for boats up to **9,100 kg**. The best rests on the flat bench and the stern is supported by two fixed pads creating a safe and stable platform.


All our boat stands are **manufactured** in **two variants**. With **fine** and **rough** regulation.

Choose from hot dip galvanized or black painted.





FLAP TOP



уре	Height (cm)	Max load per stand (ton)
K4	0.41 - 0.61	9,1
K3	0.61 - 0.76	9,1
K2	0.82 - 1.10	9,1
B4	0.41 - 0.61	9,1
B3	0.61 - 0.76	9,1
B2	0.82 - 1.10	9,1
	0.02 1.10	<i>,</i> , <u>+</u>

V TOP



Туре	Height (cm)	Max load per stand (ton)
KK4	0.41 - 0.61	9,1
KK3	0.61 - 0.76	9,1
KK2	0.82 - 1.10	9,1
KB4	0.41 - 0.61	9,1
KB3	0.61 - 0.76	9,1
KB2	0.82 - 1.10	9,1





BOAT RACKS

Boat Racks are the simplest **storage solution**, for safely store boat for **service** or **washdown**. It is recommended for boats up to. **9,100 kg**. The best rests on the **flat bench** and the stern is supported by two fixed pads creating a **safe** and **stable** platform. Our **boat racks** have been independently **tested** and have a **certified** safe working load of **9 100 kg**.

All our boat stands are **manufactured** in **two variants**. With **fine** and **rough** regulation.

Choose from hot dip galvanized or black painted.







Туре	Height (cm)	Max load per stand (ton)
IK1	70x62x76	9,1
IK2	79x105x76	9,1
IK3	131x86x121	9,1
IK4	131x105x121	9,1
IB1	70x62x76	9,1
IB2	79x105x76	9,1
IB3	131x86x121	9,1
IK4	131x105x121	9,1



Туре	Height (cm)	Max load per stand (ton)
KB4	40	9,1
KB3	71	9,1







HYDRAULIC BOAT JACK





A pair of *hydraulic boat jacks* creates the **fastest** and the **easiest** way to **lift a boat** weighing up to **5 600 kg**. Each jack is optimal for lifting up to **1 400 kg**.

KEY BENEFITS:

- simple, safe solutions for removing the trailer from under the boat
- no need to wait for crane to removing a trailer for paiting, repair and storing a boat
- 10 minute boat replacment
- pneumatic tires roll easily over gravel, cement and black top
- it can be used in dirt, gravel, cement and black top
- powerful hydraulic ram jacks make easy lifting
- lifts boat up to 5600 kg using 4 jacks

SPECIFIKATIONS:

- each jacks are optimal for lift up to 1 400 kg
- weight limit of boat: 5 600 kg
- range of lifting: 50 130 cm
- max arm extension: 40 cm

PRODUCT INFORMATION:

- L x H x V 0,5 x 1,3 x 0,85 m
- weight 110 kg





INBOARD BOAT STANDS

Boat stands are used as **stabilizers**. Our **3 stands system** is perfect for dispaying **inboard boats**. Use blocking fore and aft to support all weight of the boat on the keel. It can be only used on **V** - **Drive** application.

Our stands have been independently tested and have a certified safe working load of 6000 kg.

Choose from hot dip galvanized or black painted.

FLAP TOP



Туре	Height (cm)	Max load per stand (ton)
IV4	31 - 41	2,1
IV3	42 - 68	2,1

V TOP



Туре	Height (cm)	Max load per stand (ton)
IF4	31 - 41	2,1
IF3	42 - 68	2,1

